

# CHAPTER 1

# What is Physics?



**Figure 1.1** Galaxies, such as the Andromeda galaxy pictured here, are immense in size. The small blue spots in this photo are also galaxies. The same physical laws apply to objects as large as galaxies or objects as small as atoms. The laws of physics are, therefore, surprisingly few in number. (NASA, JPL-Caltech, P. Barmby, Harvard-Smithsonian Center for Astrophysics).

## Chapter Outline

---

### [1.1 Physics: Definitions and Applications](#)

### [1.2 The Scientific Methods](#)

### [1.3 The Language of Physics: Physical Quantities and Units](#)

---

**INTRODUCTION** Take a look at the image above of the Andromeda Galaxy ([Figure 1.1](#)), which contains billions of stars. This galaxy is the nearest one to our own galaxy (the Milky Way) but is still a staggering 2.5 million light years from Earth. (A light year is a measurement of the distance light travels in a year.) Yet, the primary force that affects the movement of stars within Andromeda is the same force that we contend with here on Earth—namely, gravity.

You may soon realize that physics plays a much larger role in your life than you thought. This section introduces you to the realm of physics, and discusses applications of physics in other disciplines of study. It also describes the methods by which science is done, and how scientists communicate their results to each other.

## 1.1 Physics: Definitions and Applications

### Section Learning Objectives

*By the end of this section, you will be able to do the following:*

- Describe the definition, aims, and branches of physics
- Describe and distinguish classical physics from modern physics and describe the importance of relativity, quantum mechanics, and relativistic quantum mechanics in modern physics
- Describe how aspects of physics are used in other sciences (e.g., biology, chemistry, geology, etc.) as well as in everyday technology

## Section Key Terms

atom      classical physics      modern physics  
physics      quantum mechanics      theory of relativity

## What Physics Is

Think about all of the technological devices that you use on a regular basis. Computers, wireless internet, smart phones, tablets, global positioning system (GPS), MP3 players, and satellite radio might come to mind. Next, think about the most exciting modern technologies that you have heard about in the news, such as trains that levitate above their tracks, *invisibility cloaks* that bend light around them, and microscopic robots that fight diseased cells in our bodies. All of these groundbreaking advancements rely on the principles of **physics**.

Physics is a branch of science. The word *science* comes from a Latin word that means *having knowledge*, and refers the knowledge of how the physical world operates, based on objective evidence determined through observation and experimentation. A key requirement of any scientific explanation of a natural phenomenon is that it must be testable; one must be able to devise and conduct an experimental investigation that either supports or refutes the explanation. It is important to note that some questions fall outside the realm of science precisely because they deal with phenomena that are not scientifically testable. This need for objective evidence helps define the investigative process scientists follow, which will be described later in this chapter.

Physics is the science aimed at describing the fundamental aspects of our universe. This includes what things are in it, what properties of those things are noticeable, and what processes those things or their properties undergo. In simpler terms, physics attempts to describe the basic mechanisms that make our universe behave the way it does. For example, consider a smart phone ([Figure 1.2](#)). Physics describes how electric current interacts with the various circuits inside the device. This knowledge helps engineers select the appropriate materials and circuit layout when building the smart phone. Next, consider a GPS. Physics describes the relationship between the speed of an object, the distance over which it travels, and the time it takes to travel that distance. When you use a GPS device in a vehicle, it utilizes these physics relationships to determine the travel time from one location to another.



**Figure 1.2** Physics describes the way that electric charge flows through the circuits of this device. Engineers use their knowledge of physics to construct a smartphone with features that consumers will enjoy, such as a GPS function. GPS uses physics equations to determine the driving time between two locations on a map. (@gletham GIS, Social, Mobile Tech Images)

As our technology evolved over the centuries, physics expanded into many branches. Ancient peoples could only study things that they could see with the naked eye or otherwise experience without the aid of scientific equipment. This included the study of kinematics, which is the study of moving objects. For example, ancient people often studied the apparent motion of objects in the sky, such as the sun, moon, and stars. This is evident in the construction of prehistoric astronomical observatories, such as Stonehenge in England (shown in [Figure 1.3](#)).



**Figure 1.3** Stonehenge is a monument located in England that was built between 3000 and 1000 B.C. It functions as an ancient astronomical observatory, with certain rocks in the monument aligning with the position of the sun during the summer and winter solstices. Other rocks align with the rising and setting of the moon during certain days of the year. (Citypeek, Wikimedia Commons)

Ancient people also studied statics and dynamics, which focus on how objects start moving, stop moving, and change speed and direction in response to forces that push or pull on the objects. This early interest in kinematics and dynamics allowed humans to invent simple machines, such as the lever, the pulley, the ramp, and the wheel. These simple machines were gradually

combined and integrated to produce more complicated machines, such as wagons and cranes. Machines allowed humans to gradually do more work more effectively in less time, allowing them to create larger and more complicated buildings and structures, many of which still exist today from ancient times.

As technology advanced, the branches of physics diversified even more. These include branches such as acoustics, the study of sound, and optics, the study of the light. In 1608, the invention of the telescope by a Germany spectacle maker, Hans Lippershey, led to huge breakthroughs in astronomy—the study of objects or phenomena in space. One year later, in 1609, Galileo Galilei began the first studies of the solar system and the universe using a telescope. During the Renaissance era, Isaac Newton used observations made by Galileo to construct his three laws of motion. These laws were the standard for studying kinematics and dynamics even today.

Another major branch of physics is thermodynamics, which includes the study of thermal energy and the transfer of heat. James Prescott Joule, an English physicist, studied the nature of heat and its relationship to work. Joule's work helped lay the foundation for the first of three laws of thermodynamics that describe how energy in our universe is transferred from one object to another or transformed from one form to another. Studies in thermodynamics were motivated by the need to make engines more efficient, keep people safe from the elements, and preserve food.

The 18<sup>th</sup> and 19<sup>th</sup> centuries also saw great strides in the study of electricity and magnetism. Electricity involves the study of electric charges and their movements. Magnetism had long ago been noticed as an attractive force between a magnetized object and a metal like iron, or between the opposite poles (North and South) of two magnetized objects. In 1820, Danish physicist Hans Christian Oersted showed that electric currents create magnetic fields. In 1831, English inventor Michael Faraday showed that moving a wire through a magnetic field could induce an electric current. These studies led to the inventions of the electric motor and electric generator, which revolutionized human life by bringing electricity and magnetism into our machines.

The end of the 19<sup>th</sup> century saw the discovery of radioactive substances by the French scientists Marie and Pierre Curie. Nuclear physics involves studying the nuclei of **atoms**, the source of nuclear radiation. In the 20<sup>th</sup> century, the study of nuclear physics eventually led to the ability to split the nucleus of an atom, a process called nuclear fission. This process is the basis for nuclear power plants and nuclear weapons. Also, the field of **quantum mechanics**, which involves the mechanics of atoms and molecules, saw great strides during the 20<sup>th</sup> century as our understanding of atoms and subatomic particles increased (see below).

Early in the 20<sup>th</sup> century, Albert Einstein revolutionized several branches of physics, especially relativity. Relativity revolutionized our understanding of motion and the universe in general as described further in this chapter. Now, in the 21<sup>st</sup> century, physicists continue to study these and many other branches of physics.

By studying the most important topics in physics, you will gain analytical abilities that will enable you to apply physics far beyond the scope of what can be included in a single book. These analytical skills will help you to excel academically, and they will also help you to think critically in any career you choose to pursue.

## Physics: Past and Present

The word physics is thought to come from the Greek word *phusis*, meaning nature. The study of nature later came to be called *natural philosophy*. From ancient times through the Renaissance, natural philosophy encompassed many fields, including astronomy, biology, chemistry, mathematics, and medicine. Over the last few centuries, the growth of scientific knowledge has resulted in ever-increasing specialization and branching of natural philosophy into separate fields, with physics retaining the most basic facets. Physics, as it developed from the Renaissance to the end of the 19<sup>th</sup> century, is called **classical physics**. Revolutionary discoveries starting at the beginning of the 20<sup>th</sup> century transformed physics from classical physics to **modern physics**.

Classical physics is not an exact description of the universe, but it is an excellent approximation under the following conditions: (1) matter must be moving at speeds less than about 1 percent of the speed of light, (2) the objects dealt with must be large enough to be seen with the naked eye, and (3) only weak gravity, such as that generated by Earth, can be involved. Very small objects, such as atoms and molecules, cannot be adequately explained by classical physics. These three conditions apply to almost all of everyday experience. As a result, most aspects of classical physics should make sense on an intuitive level.

Many laws of classical physics have been modified during the 20<sup>th</sup> century, resulting in revolutionary changes in technology, society, and our view of the universe. As a result, many aspects of modern physics, which occur outside of the range of our everyday experience, may seem bizarre or unbelievable. So why is most of this textbook devoted to classical physics? There are


two main reasons. The first is that knowledge of classical physics is necessary to understand modern physics. The second reason is that classical physics still gives an accurate description of the universe under a wide range of everyday circumstances.

Modern physics includes two revolutionary theories: relativity and quantum mechanics. These theories deal with the very fast and the very small, respectively. The **theory of relativity** was developed by Albert Einstein in 1905. By examining how two observers moving relative to each other would see the same phenomena, Einstein devised radical new ideas about time and space. He came to the startling conclusion that the measured length of an object travelling at high speeds (greater than about one percent of the speed of light) is shorter than the same object measured at rest. Perhaps even more bizarre is the idea the time for the same process to occur is different depending on the motion of the observer. Time passes more slowly for an object travelling at high speeds. A trip to the nearest star system, Alpha Centauri, might take an astronaut 4.5 Earth years if the ship travels near the speed of light. However, because time is slowed at higher speeds, the astronaut would age only 0.5 years during the trip. Einstein's ideas of relativity were accepted after they were confirmed by numerous experiments.

Gravity, the force that holds us to Earth, can also affect time and space. For example, time passes more slowly on Earth's surface than for objects farther from the surface, such as a satellite in orbit. The very accurate clocks on global positioning satellites have to correct for this. They slowly keep getting ahead of clocks at Earth's surface. This is called time dilation, and it occurs because gravity, in essence, slows down time.

Large objects, like Earth, have strong enough gravity to distort space. To visualize this idea, think about a bowling ball placed on a trampoline. The bowling ball depresses or curves the surface of the trampoline. If you rolled a marble across the trampoline, it would follow the surface of the trampoline, roll into the depression caused by the bowling ball, and hit the ball. Similarly, the Earth curves space around it in the shape of a funnel. These curves in space due to the Earth cause objects to be attracted to Earth (i.e., gravity).

Because of the way gravity affects space and time, Einstein stated that gravity affects the space-time continuum, as illustrated in [Figure 1.4](#). This is why time proceeds more slowly at Earth's surface than in orbit. In black holes, whose gravity is hundreds of times that of Earth, time passes so slowly that it would appear to a far-away observer to have stopped!




**Figure 1.4** Einstein's theory of relativity describes space and time as an interweaved mesh. Large objects, such as a planet, distort space, causing objects to fall in toward the planet due to the action of gravity. Large objects also distort time, causing time to proceed at a slower rate near the surface of Earth compared with the area outside of the distorted region of space-time.

In summary, relativity says that in describing the universe, it is important to realize that time, space and speed are not absolute. Instead, they can appear different to different observers. Einstein's ability to reason out relativity is even more amazing because we cannot see the effects of relativity in our everyday lives.

Quantum mechanics is the second major theory of modern physics. Quantum mechanics deals with the very small, namely, the subatomic particles that make up atoms. Atoms ([Figure 1.5](#)) are the smallest units of elements. However, atoms themselves are constructed of even smaller subatomic particles, such as protons, neutrons and electrons. Quantum mechanics strives to



describe the properties and behavior of these and other subatomic particles. Often, these particles do not behave in the ways expected by classical physics. One reason for this is that they are small enough to travel at great speeds, near the speed of light.



**Figure 1.5** Using a scanning tunneling microscope (STM), scientists can see the individual atoms that compose this sheet of gold. (Erwinrossen)

At particle colliders ([Figure 1.6](#)), such as the Large Hadron Collider on the France-Swiss border, particle physicists can make subatomic particles travel at very high speeds within a 27 kilometers (17 miles) long superconducting tunnel. They can then study the properties of the particles at high speeds, as well as collide them with each other to see how they exchange energy. This has led to many intriguing discoveries such as the Higgs-Boson particle, which gives matter the property of mass, and antimatter, which causes a huge energy release when it comes in contact with matter.



**Figure 1.6** Particle colliders such as the Large Hadron Collider in Switzerland or Fermilab in the United States (pictured here), have long tunnels that allows subatomic particles to be accelerated to near light speed. (Andrius.v)

Physicists are currently trying to unify the two theories of modern physics, relativity and quantum mechanics, into a single, comprehensive theory called relativistic quantum mechanics. Relating the behavior of subatomic particles to gravity, time, and space will allow us to explain how the universe works in a much more comprehensive way.

## Application of Physics

You need not be a scientist to use physics. On the contrary, knowledge of physics is useful in everyday situations as well as in nonscientific professions. For example, physics can help you understand why you shouldn't put metal in the microwave ([Figure 1.7](#)), why a black car radiator helps remove heat in a car engine, and why a white roof helps keep the inside of a house cool. The operation of a car's ignition system, as well as the transmission of electrical signals through our nervous system, are much easier to understand when you think about them in terms of the basic physics of electricity.




**Figure 1.7** Why can't you put metal in the microwave? Microwaves are high-energy radiation that increases the movement of electrons in


metal. These moving electrons can create an electrical current, causing sparking that can lead to a fire. (= MoneyBlogNewz)

Physics is the foundation of many important scientific disciplines. For example, chemistry deals with the interactions of atoms and molecules. Not surprisingly, chemistry is rooted in atomic and molecular physics. Most branches of engineering are also applied physics. In architecture, physics is at the heart of determining structural stability, acoustics, heating, lighting, and cooling for buildings. Parts of geology, the study of nonliving parts of Earth, rely heavily on physics; including radioactive dating, earthquake analysis, and heat transfer across Earth's surface. Indeed, some disciplines, such as biophysics and geophysics, are hybrids of physics and other disciplines.

Physics also describes the chemical processes that power the human body. Physics is involved in medical diagnostics, such as x-rays, magnetic resonance imaging (MRI), and ultrasonic blood flow measurements (Figure 1.8). Medical therapy Physics also has many applications in biology, the study of life. For example, physics describes how cells can protect themselves using their cell walls and cell membranes (Figure 1.9). Medical therapy sometimes directly involves physics, such as in using X-rays to diagnose health conditions. Physics can also explain what we perceive with our senses, such as how the ears detect sound or the eye detects color.



**Figure 1.8** Magnetic resonance imaging (MRI) uses electromagnetic waves to yield an image of the brain, which doctors can use to find diseased regions. (Rashmi Chawla, Daniel Smith, and Paul E. Marik)



**Figure 1.9** Physics, chemistry, and biology help describe the properties of cell walls in plant cells, such as the onion cells seen here. (Umberto Salvagnin)



## BOUNDLESS PHYSICS

### The Physics of Landing on a Comet

On November 12, 2014, the European Space Agency's Rosetta spacecraft (shown in Figure 1.10) became the first ever to reach and orbit a comet. Shortly after, Rosetta's rover, Philae, landed on the comet, representing the first time humans have ever landed a space probe on a comet.




**Figure 1.10** The Rosetta spacecraft, with its large and revolutionary solar panels, carried the Philae lander to a comet. The lander then detached and landed on the comet's surface. (European Space Agency)

After traveling 6.4 billion kilometers starting from its launch on Earth, Rosetta landed on the comet 67P/Churyumov-Gerasimenko, which is only 4 kilometers wide. Physics was needed to successfully plot the course to reach such a small, distant, and rapidly moving target. Rosetta's path to the comet was not straight forward. The probe first had to travel to Mars so that Mars's gravity could accelerate it and divert it in the exact direction of the comet.

This was not the first time humans used gravity to power our spaceships. Voyager 2, a space probe launched in 1977, used the gravity of Saturn to *slingshot* over to Uranus and Neptune (illustrated in [Figure 1.11](#)), providing the first pictures ever taken of these planets. Now, almost 40 years after its launch, Voyager 2 is at the very edge of our solar system and is about to enter interstellar space. Its sister ship, Voyager 1 (illustrated in [Figure 1.11](#)), which was also launched in 1977, is already there.

To listen to the sounds of interstellar space or see images that have been transmitted back from the Voyager I or to learn more about the Voyager mission, visit the [Voyager's Mission website \(https://openstax.org/l/28voyager\)](https://openstax.org/l/28voyager).



**Figure 1.11** a) Voyager 2, launched in 1977, used the gravity of Saturn to slingshot over to Uranus and Neptune. NASA b) A rendering of Voyager 1, the first space probe to ever leave our solar system and enter interstellar space. NASA

Both Voyagers have electrical power generators based on the decay of radioisotopes. These generators have served them for almost 40 years. Rosetta, on the other hand, is solar-powered. In fact, Rosetta became the first space probe to travel beyond the asteroid belt by relying only on solar cells for power generation.

At 800 million kilometers from the sun, Rosetta receives sunlight that is only 4 percent as strong as on Earth. In addition, it is very cold in space. Therefore, a lot of physics went into developing Rosetta's low-intensity low-temperature solar cells.

In this sense, the Rosetta project nicely shows the huge range of topics encompassed by physics: from modeling the movement of gigantic planets over huge distances within our solar systems, to learning how to generate electric power from low-intensity light. Physics is, by far, the broadest field of science.

### GRASP CHECK

What characteristics of the solar system would have to be known or calculated in order to send a probe to a distant planet, such as Jupiter?



- a. the effects due to the light from the distant stars
- b. the effects due to the air in the solar system
- c. the effects due to the gravity from the other planets
- d. the effects due to the cosmic microwave background radiation

In summary, physics studies many of the most basic aspects of science. A knowledge of physics is, therefore, necessary to understand all other sciences. This is because physics explains the most basic ways in which our universe works. However, it is not necessary to formally study all applications of physics. A knowledge of the basic laws of physics will be most useful to you, so that you can use them to solve some everyday problems. In this way, the study of physics can improve your problem-solving skills.

## Check Your Understanding

1. Which of the following is *not* an essential feature of scientific explanations?
  - a. They must be subject to testing.
  - b. They strictly pertain to the physical world.
  - c. Their validity is judged based on objective observations.
  - d. Once supported by observation, they can be viewed as a fact.
2. Which of the following does *not* represent a question that can be answered by science?
  - a. How much energy is released in a given nuclear chain reaction?
  - b. Can a nuclear chain reaction be controlled?
  - c. Should uncontrolled nuclear reactions be used for military applications?
  - d. What is the half-life of a waste product of a nuclear reaction?
3. What are the three conditions under which classical physics provides an excellent description of our universe?
  - a. 1. Matter is moving at speeds less than about 1 percent of the speed of light  
2. Objects dealt with must be large enough to be seen with the naked eye.  
3. Strong electromagnetic fields are involved.
  - b. 1. Matter is moving at speeds less than about 1 percent of the speed of light.  
2. Objects dealt with must be large enough to be seen with the naked eye.  
3. Only weak gravitational fields are involved.
  - c. 1. Matter is moving at great speeds, comparable to the speed of light.  
2. Objects dealt with are large enough to be seen with the naked eye.  
3. Strong gravitational fields are involved.
  - d. 1. Matter is moving at great speeds, comparable to the speed of light.  
2. Objects are just large enough to be visible through the most powerful telescope.  
3. Only weak gravitational fields are involved.
4. Why is the Greek word for nature appropriate in describing the field of physics?
  - a. Physics is a natural science that studies life and living organism on habitable planets like Earth.
  - b. Physics is a natural science that studies the laws and principles of our universe.
  - c. Physics is a physical science that studies the composition, structure, and changes of matter in our universe.
  - d. Physics is a social science that studies the social behavior of living beings on habitable planets like Earth.
5. Which aspect of the universe is studied by quantum mechanics?
  - a. objects at the galactic level
  - b. objects at the classical level
  - c. objects at the subatomic level
  - d. objects at all levels, from subatomic to galactic